# antibodies -online.com





# anti-STK40 antibody (AA 231-330) (Cy5.5)



Go to Product page

$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	STK40
Binding Specificity:	AA 231-330
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK40 antibody is conjugated to Cy5.5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human STK40
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	STK40
Alternative Name:	STK40 (STK40 Products)

## **Target Details**

rarget betails	
Background:	Synonyms: Ser/Thr like kinase, Serine/threonine kinase 40, Serine/threonine protein kinase 40, SgK495, SHIK, SINK homologous serine/threonine protein kinase, SINK-homologous serine/threonine-protein kinase, STK 40, Sugen kinase 495, STK40_HUMAN.  Background: STK40 may be a negative regulator of NF-kappa-B and p53-mediated gene transcription. There are four named isoforms.
Gene ID:	83931
UniProt:	Q8N2I9
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months