.-online.com antibodies

Datasheet for ABIN916755 anti-Stathmin 3 antibody (AA 77-130) (Alexa Fluor 555)



Overview

Quantity:	100 μL
Target:	Stathmin 3 (STMN3)
Binding Specificity:	AA 77-130
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Stathmin 3 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human STMN3
lsotype:	lgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	Stathmin 3 (STMN3)
Alternative Name:	STMN3 (STMN3 Products)
Background:	Synonyms: Sclip, RP23-83A14.1, SCG10-like protein, Scgn10 like protein, Stathmin like 3,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN916755 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

transduction and regulation of microtubule dynamics. Gene ID: 50861 Application Details Application Notes: IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 <t< th=""><th></th><th></th></t<>		
destabilizing phosphoproteins. It is similar to the SCG10 protein and is involved in sig transduction and regulation of microtubule dynamics. Gene ID: 50861 Application Details IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 Restrictions: For Research Use only Handling Iuid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03 % Proc 50 % Glycerol. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		STMN3_HUMAN.
Image: stransduction and regulation of microtubule dynamics. Gene ID: 50861 Application Details Application Notes: IF(IHC-P) 1:50-200 IF(ICC) 1:50-200 IF(ICC) 1:50-200 IF(ICC) 1:50-200 IF(ICC) 1:50-200 Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol. Precaution of Use: Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		Background: STMN3 belongs to the stathmin/oncoprotein 18 family of microtubule-
Gene ID: 50861 Application Details F(IHC-P) 1:50-200 Application Notes: IF(IHC-P) 1:50-200 IF(ICC) 1:50-200 IF(ICC) 1:50-200 Restrictions: For Research Use only Handling Iuiuid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage: -20 °C Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		destabilizing phosphoproteins. It is similar to the SCG10 protein and is involved in signal
Application Details Application Notes: IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 Restrictions: For Research Use only Handling Iuquid Format: Liquid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol. Preservative: ProClin Preservative: ProClin Storage: -20 °C Storage Comment: Storage Comment:		transduction and regulation of microtubule dynamics.
Application Notes:IF(IHC-P) 1:50-200 IF(ICC) 1:50-200 IF(ICC) 1:50-200Restrictions:For Research Use onlyHandlingIuidFormat:LiquidConcentration:1 µg/µLBuffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Stora et -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Gene ID:	50861
IF(IAC-F) 1:50-200 IF(ICC) 1:50-200Restrictions:For Research Use onlyHandlingFormat:LiquidConcentration:1 μg/μLBuffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Application Details	
IF(ICC) 1:50-200 Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage: -20 °C Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Application Notes:	IF(IHC-P) 1:50-200
Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 µg/µL Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage: -20 °C Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		IF(IHC-F) 1:50-200
HandlingFormat:LiquidConcentration:1 μg/μLBuffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		IF(ICC) 1:50-200
Format:LiquidConcentration:1 μg/μLBuffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Restrictions:	For Research Use only
Concentration:1 µg/µLBuffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Handling	
Buffer:Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proc 50 % Glycerol.Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Format:	Liquid
50 % Glycerol. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. Storage: -20 °C Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Concentration:	1 µg/µL
Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
Precaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		50 % Glycerol.
handled by trained staff only.Storage:-20 °CStorage Comment:Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Preservative:	ProClin
Storage: -20 °C Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		handled by trained staff only.
	Storage:	-20 °C
Expiry Date: 12 months	Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
	Expiry Date:	12 months