

Datasheet for ABIN916798

anti-STXBP1 antibody (AA 11-110) (AbBy Fluor® 555)



Overview

Overview	
Quantity:	100 μL
Target:	STXBP1
Binding Specificity:	AA 11-110
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STXBP1 antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Munc18
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Dog, Pig, Horse, Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	STXBP1
Alternative Name:	STXBP1/Munc18 (STXBP1 Products)

Target Details

-			
Background:	Synonyms: Munc 18 1, Munc 18a, NSec1, p67, Rb sec1, STXBP1, Syntaxin binding protein 1,		
	Unc 18 homolog, Unc 18A, Unc18 1, STXB1_HUMAN, Syntaxin-binding protein 1, MUNC18-1, N-		
	Sec1, Protein unc-18 homolog 1, Unc18-1, Protein unc-18 homolog A, Unc-18A, p67.		
	Background: Munc18 may participate in the regulation of synaptic vesicle docking and fusion,		
	possibly through interaction with GTP binding proteins. It is essential for neurotransmission		
	and binds syntaxin, a component of the synaptic vesicle fusion machinery probably in a 1:1		
	ratio. Munc18 can interact with syntaxins 1, 2, and 3 but not syntaxin 4. It may play a role in		
	determining the specificity of intracellular fusion reactions. Mutations in Munc18 can result in		
	accumulations of acetylcholine and paralytic phenotype suggestive of a neurotransmitter		
	release defect. Two Munc18 isoforms have recently been identified. Munc18-1 has been shown		
	to be primarily expressed in brain, while Munc18-2 is expressed in most tissues.		
Gene ID:	6812		
UniProt:	P61764		
Pathways:	Synaptic Vesicle Exocytosis, Dicarboxylic Acid Transport		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months