# antibodies - online.com







## anti-TGM3 antibody (AA 601-693) (Alexa Fluor 555)



( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	TGM3
Binding Specificity:	AA 601-693
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TGM3 antibody is conjugated to Alexa Fluor 555
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TGM3
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

Target:	TGM3
Alternative Name:	Tgm3 (TGM3 Products)

### **Target Details**

Background:	Synonyms: TGE, Protein-glutamine gamma-glutamyltransferase E, Transglutaminase E, TG(E),	
	TGase E, Transglutaminase-3, TGase-3, TGM3	
	Background: Catalyzes the calcium-dependent formation of isopeptide cross-links between	
	glutamine and lysine residues in various proteins, as well as the conjugation of polyamines to	
	proteins. Involved in the formation of the cornified envelope (CE), a specialized component	
	consisting of covalent cross-links of proteins beneath the plasma membrane of terminally	
	differentiated keratinocytes. Catalyzes small proline-rich proteins (SPRR1 and SPRR2) and LOR	
	cross-linking to form small interchain oligomers, which are further cross-linked by TGM1 onto	
	the growing CE scaffold (By similarity). In hair follicles, involved in cross-linking structural	
	proteins to hardening the inner root sheath.	
Gene ID:	7053	
UniProt:	Q08188	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	