antibodies - online.com







anti-TSH antibody (AA 51-138) (Alexa Fluor 555)



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μL
Target:	TSH
Binding Specificity:	AA 51-138
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSH antibody is conjugated to Alexa Fluor 555
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TSHB
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	TSH
Alternative Name:	TSH (TSH Products)

Target Details

Background:	Synonyms: CHNG4, Thyroid stimulating hormone beta subunit, Thyroid stimulating hormone,	
	beta precursor, Thyrotropin beta subunit, TSHB.	
	Background: Thyroid stimulating hormone, also known as thyrotropin, is secreted from cells in	
	the anterior pituitary called thyrotrophs, finds its receptors on epithelial cells in the thyroid	
	gland, and stimulates that gland to synthesize and release thyroid hormones. TSH is a	
	glycoprotein hormone composed of two subunits which are non covalently bound to one	
	another. The alpha subunit of TSH is also present in two other pituitary glycoprotein hormones,	
	follicle stimulating hormone and luteinizing hormone, and, in primates, in the placental hormone	
	chorionic gonadotropin. Each of these hormones also has a unique beta subunit, which	
	provides receptor specificity. In other words, TSH is composed of alpha subunit bound to the	
	TSH beta subunit, and TSH associates only with its own receptor. Free alpha and beta subunits	
	have essentially no biological activity.	
Gene ID:	7252	
UniProt:	P01222	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months