



[Go to Product page](#)

Datasheet for ABIN919951  
**anti-WRAP53 antibody (AA 285-390) (HRP)**

### Overview

Quantity:	100 µL
Target:	WRAP53
Binding Specificity:	AA 285-390
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WRAP53 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human WDR79/TCAB1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Horse,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	WRAP53
Alternative Name:	TCAB1 ( <a href="#">WRAP53 Products</a> )

## Target Details

---

Background:	<p>Synonyms: FLJ10385, TCAB1, telomerase Cajal Body protein 1, WD repeat containing protein 79, WRAP53, WDR79/TCAB1, WAP53_HUMAN.</p> <p>Background: WDR79 contains six WD (tryptophan-aspartate) repeat domains found in a number of proteins that function as adaptor molecules in signal transduction and cytoskeletal organization. The WD repeat is defined by four or more repeating units of a conserved core of approximately 40 amino acids ending with tryptophan-aspartic acid (WD). WD repeats may serve as sites of protein-protein interaction for adaptor proteins and facilitate multiprotein complex formation. The function of the WDR79 protein has not been characterized, however significant and consistent single nucleotide polymorphisms in the WDR79 gene have been found to be associated with ER negative breast cancer.</p>
Gene ID:	3135
UniProt:	<a href="#">Q9BUR4</a>
Pathways:	<a href="#">Telomere Maintenance</a>

## Application Details

---

Application Notes:	<p>WB 1:300-5000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p>
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C

## Handling

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months