antibodies -online.com





anti-WNK3 antibody (AA 451-550) (Alexa Fluor 350)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	WNK3	
Binding Specificity:	AA 451-550	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This WNK3 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human WNK3 protein	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Cow,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	WNK3
Alternative Name:	Wnk3 Protein (WNK3 Products)

Target Details

Background:	Synonyms: PRKWNK3, Serine/threonine-protein kinase WNK3, Protein kinase lysine-deficient 3,	
	Protein kinase with no lysine 3, WNK3, KIAA1566	
	Background: Serine/threonine kinase which plays an important role in the regulation of	
	electrolyte homeostasis, cell signaling, survival and proliferation. Acts as an activator and	
	inhibitor of sodium-coupled chloride cotransporters and potassium-coupled chloride	
	cotransporters respectively. Phosphorylates WNK4. Regulates the phosphorylation of SLC12A1	
	and SLC12A2. Increases Ca(2+) influx mediated by TRPV5 and TRPV6 by enhancing their	
	membrane expression level via a kinase-dependent pathway. Inhibits the activity of KCNJ1 by	
	decreasing its expression at the cell membrane in a non-catalytic manner. Isoform 1, isoform 2,	
	isoform 3 and isoform 4 stimulate the activity of SLC12A1, SLC12A2 and SLC12A3 and inhibit	
	the activity of SLC12A4, SLC12A5, SLC12A6 and SLC12A7. According to PubMed:19470686,	
	isoform 1 inhibits the activity of SLC12A3.	
Gene ID:	65267	
UniProt:	Q9BYP7	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months