

Datasheet for ABIN920269

anti-ZBTB2 antibody (AA 421-514) (HRP)



Overview

Quantity:	100 μL
Target:	ZBTB2
Binding Specificity:	AA 421-514
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZBTB2 antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human ZBTB2	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	ZBTB2
Alternative Name:	ZBTB2 (ZBTB2 Products)

Target Details

Background:	Synonyms: ZNF437, Zinc finger and BTB domain-containing protein 2, ZBTB2, KIAA1483		
	Background: The BTB (Broad-Complex, Tramtrack and Bric a brac) domain, also known as the		
	POZ (Poxvirus and Zinc finger) domain, is an N-terminal homodimerization domain that		
	contains multiple copies of kelch repeats and/or C2H2-type zinc fingers. Proteins that contain		
	BTB domains are thought to be involved in transcriptional regulation via control of chromatin		
	structure and function. ZBTB1 (zinc finger and BTB domain containing 1), also known as		
	KIAA0997, is a 713 amino acid nuclear protein that contains one BTB (POZ) domain and 8		
	C2H2-type zinc fingers. ZBTB2 is a 514 amino acid nuclear protein that contains one BTB (POZ)		
	domain and 4 C2H2-type zinc fingers. ZBTB25, also known as ZNF46 or KUP, is a 435 amino		
	acid nuclear protein that is expressed mainly in hematopoietic cells and testis and contains one		
	BTB (POZ) domain and 2 C2H2-type zinc fingers.		
Gene ID:	57621		
UniProt:	Q8N680		
Application Details			
Application Notes:	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months