

## Datasheet for ABIN925774

# anti-ZNF81 antibody (Middle Region)

2 Images



Go to Product page

| $\sim$ |     |     |   |
|--------|-----|-----|---|
| ( )    | ve. | r\/ | Λ |
|        |     |     |   |

| Quantity:            | 100 μg   |
|----------------------|--|
| Target:              | ZNF81  |
| Binding Specificity: | Middle Region  |
| Reactivity:          | Human, Dog, Cow, Rat, Mouse  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This ZNF81 antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC)  |
| Product Details      |  |
| Immunogen:           | ZNF81 antibody was raised in rabbit using the middle region of ZNF81 as the immunogen      |
| Cross-Reactivity:    | Dog (Canine), Mouse (Murine), Rat (Rattus), Cow (Bovine)                                   |
| Target Details       |  |
| Target:              | ZNF81  |
| Alternative Name:    | ZNF81 (ZNF81 Products)   |
| Background:          | Zinc Finger Protein 81 is a new candidate transcription factor. Synonyms: Polyclonal ZNF81 |


## **Application Details**

| Application Notes: | WB: $0.5~\mu g/mL$ Optimal conditions should be determined by the investigator.  |  |
|--------------------|--|--|
| Comment:           | ZNF81 Blocking Peptide, catalog no. 33R-7710, is also available for use as a blocking control in assays to test for specificity of this ZNF81 antibody |  |
| Restrictions:      | For Research Use only  |  |

## Handling

| Format:          | Lyophilized  |  |
|------------------|--|--|
| Concentration:   | Lot specific   |  |
| Buffer:          | Lyophilized powder. Add 100 $\mu L$ of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |  |
| Handling Advice: | Avoid repeated freeze/thaw cycles.   |  |
| Storage:         | 4 °C/-20 °C  |  |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.  |  |

### **Images**



#### **Immunohistochemistry**

**Image 1.** ZNF81 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Hepatocyte (arrows) in Human liver. Magnification is at 400X



#### **Western Blotting**

**Image 2.** ZNF81 antibody (20R-1073) used at 0.2-1 ug/ml to detect target protein.