# ANTIBODIES ONLINE

## Datasheet for ABIN925778 anti-GRIP1 antibody (N-Term)

Image



Overview

1

overview	
Quantity:	100 µg
Target:	GRIP1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GRIP1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	GRIP1 antibody was raised in rabbit using the N terminal of GRIP1 as the immunogen
Cross-Reactivity:	Mouse (Murine), Rat (Rattus)
Target Details	
Target:	GRIP1
Alternative Name:	GRIP1 (GRIP1 Products)
Background:	GRIP1 is a steroid receptor coactivator family (SRC) member. SRC proteins comprise a well-
	characterized family of nuclear receptor (NR) coactivators that increase transcriptional
	activation by NRs via covalent modification of chromatin proteins and recruitment of other
	activation by NRs via covalent modification of chromatin proteins and recruitment of other coactivators. Synonyms: Polyclonal GRIP1 antibody, Anti-GRIP1 antibody, glutamate receptor

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN925778 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

### Target Details

#### Pathways:


Intracellular Steroid Hormone Receptor Signaling Pathway

### Application Details

Application Notes:	WB: 1.25 µg/mL Optimal conditions should be determined by the investigator.
Comment:	GRIP1 Blocking Peptide, catalog no. 33R-6108, is also available for use as a blocking control in assays to test for specificity of this GRIP1 antibody
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized

Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 100 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

#### Images



#### Western Blotting

**Image 1.** GRIP1 antibody (20R-1077) used at 0.2-1 ug/ml to detect target protein.