

Datasheet for ABIN925945
anti-ZNF326 antibody (C-Term)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µg
Target:	ZNF326
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF326 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen: ZNF326 antibody was raised in rabbit using the C terminal of ZNF326 as the immunogen

Target Details

Target:	ZNF326
Alternative Name:	ZNF326 (ZNF326 Products)
Background:	ZNF326 may be involved in transcriptional regulation. Synonyms: Polyclonal ZNF326 antibody, Anti-ZNF326 antibody, zinc finger protein 326 antibody, FLJ20403 antibody, MGC61591 antibody, ZAN75 antibody, Zfp326 antibody, dJ871E2.1 antibody.

Application Details

Application Notes: WB: 0.625 µg/mL

Application Details

Optimal conditions should be determined by the investigator.

Comment: ZNF326 Blocking Peptide, catalog no. 33R-3448, is also available for use as a blocking control in assays to test for specificity of this ZNF326 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: Lot specific


Buffer: Lyophilized powder. Add 100 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.

Handling Advice: Avoid repeated freeze/thaw cycles.

Storage: 4 °C/-20 °C


Storage Comment: Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

Images



Immunohistochemistry

Image 1. ZNF326 antibody was used for immunohistochemistry at a concentration of 4-8 μ g/ml to stain Hepatocytes (arrows) in Human Liver. Magnification is at 400X



Immunohistochemistry

Image 2. ZNF326 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of renal tubule (arrows) in Human Kidney. Magnification is at 400X.



Western Blotting

Image 3. ZNF326 antibody (20R-1244) used at 0.2-1 ug/ml to detect target protein.