# ANTIBODIES ONLINE

## Datasheet for ABIN926533 anti-IMMP2L antibody (C-Term)

Image



Overview

1

100 µL
IMMP2L
C-Term
Human
Rabbit
Polyclonal
This IMMP2L antibody is un-conjugated
Western Blotting (WB)
IMMP2 L antibody was raised in rabbit using the C terminal of IMMP2 as the immunogen
Purified
IMMP2L
IMMP2L (IMMP2L Products)
The mitochondrial inner membrane peptidase (IMP) complex generates mature, active proteins in the mitochondrial intermembrane space by proteolytically removing the mitochondrial targeting presequence of nuclear-encoded proteins. IMP1 and IMP2 are the catalytic subunits of the IMP complex. Synonyms: Polyclonal IMMP2L antibody, Anti-IMMP2L antibody, IMP2 inner mitochondrial membrane peptidase-like, S. cerevisiae antibody, IMP2 antibody, IMP2-LIKE

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN926533 | 07/26/2024 | Copyright antibodies-online. All rights reserved.


### Target Details

antibody.

## Application Details

Application Notes:	WB: 0.2-1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	IMMP2L Blocking Peptide, catalog no. 33R-3314, is also available for use as a blocking control
	in assays to test for specificity of this IMMP2L antibody
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 $\mu L$ of distilled water. Final antibody concentration is 1 mg/mL in
	PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

#### Images



#### Western Blotting

**Image 1.** Western Blot showing IMMP2L antibody used at a concentration of 1-2 ug/ml to detect its target protein.