

Datasheet for ABIN926874  
**anti-STK17A antibody (C-Term)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	STK17A
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Rabbit, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK17A antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	STK17 A antibody was raised in rabbit using the C terminal of STK17 as the immunogen
Cross-Reactivity:	Cow (Bovine), Rabbit, Chicken
Purification:	Purified

## Target Details

Target:	STK17A
Alternative Name:	STK17A ( <a href="#">STK17A Products</a> )
Background:	STK17A belongs to the protein kinase superfamily, CAMK Ser/Thr protein kinase family, DAP kinase subfamily. It contains 1 protein kinase domain. STK17A acts as a positive regulator of apoptosis. This gene is a member of the DAP kinase-related apoptosis-inducing protein kinase family and encodes an autophosphorylated nuclear protein with a protein kinase domain. The

## Target Details

protein has apoptosis-inducing activity. Synonyms: Polyclonal STK17A antibody, Anti-STK17A antibody, serine/threonine kinase 17a antibody, DRAK1 antibody.


## Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	STK17A Blocking Peptide, catalog no. 33R-4357, is also available for use as a blocking control in assays to test for specificity of this STK17A antibody
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## Images



### Western Blotting

**Image 1.** STK17A antibody (70R-10450) used at 0.2-1 ug/ml to detect target protein.