

Datasheet for ABIN927391 anti-ZNF318 antibody (N-Term)

2 Images



Overview

0.101.101.	
Quantity:	100 μL
Target:	ZNF318 (Znf318)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Dog, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF318 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	ZNF318 antibody was raised in rabbit using the N terminal of ZNF318 as the immunogen
Cross-Reactivity:	Mouse (Murine), Dog (Canine), Frog
Purification:	Purified
Target Details	
Target:	ZNF318 (Znf318)
Alternative Name:	ZNF318 (Znf318 Products)
Background:	ZNF318 encodes a nuclear protein with a zinc finger motif of the Cys2-His2 type that is a novel corepressor of androgen receptor (AR). Synonyms: Polyclonal ZNF318 antibody, Anti-ZNF318 antibody, zinc finger protein 318 antibody.

Target Details

Pathways:	SARS-CoV-2 Protein Interactome
-----------	--------------------------------


Application Details

Application Notes:	WB: 0.2-1 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	ZNF318 Blocking Peptide, catalog no. 33R-8910, is also available for use as a blocking control in assays to test for specificity of this ZNF318 antibody
Restrictions:	For Research Use only

Handling


Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

Images



Western Blotting

Image 1. ZNF318 antibody used at 0.2-1 ug/ml to detect target protein.



Immunohistochemistry

Image 2. ZNF318 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of pancreatic acinus (arrows) in Human Pancreas. Magnification is at 400X