

Datasheet for ABIN927480  
**anti-MTF2 antibody (Middle Region)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	MTF2
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Dog, Cow, Zebrafish (Danio rerio), Xenopus laevis, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MTF2 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	M96 antibody was raised in rabbit using the middle region of M96 as the immunogen
Cross-Reactivity:	Mouse (Murine), Rat (Rattus), Dog (Canine), Cow (Bovine), Frog, Chicken, Zebrafish (Brachydanio rerio)
Purification:	Purified

## Target Details

Target:	MTF2
Alternative Name:	M96 ( <a href="#">MTF2 Products</a> )
Background:	M96 may be involved in the activation of MT (metallothionein) genes in response to heavy-metal ions. Synonyms: Polyclonal M96 antibody, Anti-M96 antibody.

## Target Details

---

Pathways: [Stem Cell Maintenance](#)

## Application Details

---

Application Notes: WB: 0.2-1 µg/mL  
Optimal conditions should be determined by the investigator.

Comment: M96 Blocking Peptide, catalog no. 33R-9414, is also available for use as a blocking control in assays to test for specificity of this M96 antibody

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Concentration: Lot specific

Buffer: Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.


Handling Advice: Avoid repeated freeze/thaw cycles.

Storage: 4 °C/-20 °C

Storage Comment: Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## Images

---



### Western Blotting

**Image 1.** M96 antibody used at 0.2-1 ug/ml to detect target protein.