

Datasheet for ABIN927501
anti-KLHL13 antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

| | |
|----------------------|---|
| Quantity: | 100 µL |
| Target: | KLHL13 |
| Binding Specificity: | N-Term |
| Reactivity: | Human, Mouse, Cow, Dog |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This KLHL13 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|--|
| Immunogen: | KLHL13 antibody was raised in rabbit using the N terminal of KLHL13 as the immunogen |
| Cross-Reactivity: | Dog (Canine), Mouse (Murine), Cow (Bovine) |
| Purification: | Purified |

Target Details

| | |
|-------------------|---|
| Target: | KLHL13 |
| Alternative Name: | KLHL13 (KLHL13 Products) |
| Background: | KLHL13 contains 6 Kelch repeats and 1 BTB (POZ) domain. The function of this protein remains unknown. Synonyms: Polyclonal KLHL13 antibody, Anti-KLHL13 antibody, kelch-like 13, Drosophila antibody. |


Application Details

| | |
|--------------------|--|
| Application Notes: | WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator. |
| Comment: | KLHL13 Blocking Peptide, catalog no. 33R-4693, is also available for use as a blocking control in assays to test for specificity of this KLHL13 antibody |
| Restrictions: | For Research Use only |

Handling


| | |
|------------------|--|
| Format: | Lyophilized |
| Concentration: | Lot specific |
| Buffer: | Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles. |
| Storage: | 4 °C/-20 °C |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C. |

Images



Western Blotting

Image 1. KLHL13 antibody used at 0.2-1 µg/ml to detect target protein.



Immunohistochemistry

Image 2. KLHL13 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of intestinal villus (arrows) in Human Intestine. Magnification is at 400X