

Datasheet for ABIN927543 anti-GTF3C5 antibody (N-Term)

2 Images



Go to Product page

\sim	
()\/Pr	view
OVCI	VICVV

Quantity:	100 μL
Target:	GTF3C5
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GTF3C5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	GTF3 C5 antibody was raised in rabbit using the N terminal of GTF3 5 as the immunogen
Cross-Reactivity:	Mouse (Murine), Rat (Rattus)
Purification:	Purified
Target Details	
Target:	GTF3C5
Alternative Name:	GTF3C5 (GTF3C5 Products)
Background:	GTF3C5 is polypeptide 5 of general transcription factor IIIon Channel. Human transcription
	factor Illon Channel (hTFIllon Channel) is a multisubunit complex that directly recognizes
	promoter elements and recruits TFIIIB and RNA polymerase III. Synonyms: Polyclonal GTF3C5
	antibody, Anti-GTF3C5 antibody, general transcription factor IIIC, polypeptide 5, 63kDa antibody.


Application Details

Application Notes:	WB: 0.2-1 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	GTF3C5 Blocking Peptide, catalog no. 33R-4713, is also available for use as a blocking control
	in assays to test for specificity of this GTF3C5 antibody
Restrictions:	For Research Use only

Handling


Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 μL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

Images



Western Blotting

Image 1. GTF3C5 antibody used at 0.2-1 ug/ml to detect target protein.



Immunohistochemistry

Image 2. GTF3C5 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of renal tubule (arrows) in Human Kidney. Magnification is at 400X