

Datasheet for ABIN927589
anti-ZNF785 antibody (C-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	ZNF785
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF785 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	ZNF785 antibody was raised in rabbit using the C terminal of ZNF785 as the immunogen
Purification:	Purified

Target Details

Target:	ZNF785
Alternative Name:	ZNF785 (ZNF785 Products)
Background:	The function of ZNF785 remains unknown. Synonyms: Polyclonal ZNF785 antibody, Anti-ZNF785 antibody, zinc finger protein 785 antibody.

Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	ZNF785 Blocking Peptide, catalog no. 33R-8010, is also available for use as a blocking control in assays to test for specificity of this ZNF785 antibody
Restrictions:	For Research Use only

Handling


Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

Images



Western Blotting

Image 1. ZNF785 antibody used at 0.2-1 ug/ml to detect target protein.



Immunohistochemistry

Image 2. ZNF785 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of intestinal villus (arrows) in Human intestine. Magnification is at 400X