

Datasheet for ABIN927598  
**anti-ZNF555 antibody (N-Term)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	100 µL
Target:	ZNF555
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF555 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	ZNF555 antibody was raised in rabbit using the N terminal of ZNF555 as the immunogen
Purification:	Purified

## Target Details

Target:	ZNF555
Alternative Name:	ZNF555 ( <a href="#">ZNF555 Products</a> )
Background:	ZNF555 contains 15 C2H2-type zinc fingers and 1 KRAB domain. It belongs to the krueppel C2H2-type zinc-finger protein family and may be involved in transcriptional regulation. Western blots using two different antibodies against two unique regions of this protein target confirm the same apparent molecular weight in our tests. Synonyms: Polyclonal ZNF555 antibody, Anti-ZNF555 antibody, zinc finger protein 555 antibody, MGC26707 antibody.


## Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	ZNF555 Blocking Peptide, catalog no. 33R-7147, is also available for use as a blocking control in assays to test for specificity of this ZNF555 antibody
Restrictions:	For Research Use only

## Handling


Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## Images



### Western Blotting

**Image 1.** ZNF555 antibody used at 0.2-1 ug/ml to detect target protein.



### Immunohistochemistry

**Image 2.** ZNF555 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of pancreatic acinus (arrows) in Human Pancreas. Magnification is at 400X