

Datasheet for ABIN927749 anti-GTF3C5 antibody (C-Term)

Images



_				
()	ve.	rv/	101	Λ

Quantity:	100 μL	
Target:	GTF3C5	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Xenopus laevis	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GTF3C5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	GTF3 C5 antibody was raised in rabbit using the C terminal of GTF3 5 as the immunogen	
Cross-Reactivity:	Mouse (Murine), Rat (Rattus), Frog	
Purification:	Purified	
Target Details		
Target:	GTF3C5	
Alternative Name:	GTF3C5 (GTF3C5 Products)	
Background:	GTF3C5 is polypeptide 5 of general transcription factor Illon Channel. Human transcription factor Illon Channel (hTFIIIon Channel) is a multisubunit complex that directly recognizes promoter elements and recruits TFIIIB and RNA polymerase III. Synonyms: Polyclonal GTF3C5 antibody, Anti-GTF3C5 antibody, general transcription factor IIIC, polypeptide 5, 63kDa antibody	


Application Details

Application Notes:	WB: 0.2-1 μg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	GTF3C5 Blocking Peptide, catalog no. 33R-8567, is also available for use as a blocking control in assays to test for specificity of this GTF3C5 antibody	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Concentration:	Lot specific	
Buffer:	Lyophilized powder. Add 50 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.	
Handling Advice:	Avoid repeated freeze/thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.	

Images



Western Blotting

Image 1. GTF3C5 antibody used at 0.2-1 ug/ml to detect target protein.



Immunohistochemistry

Image 2. GTF3C5 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of intestinal villus (arrows) in Human Intestine. Magnification is at 400X