

# Datasheet for ABIN927820 anti-PRDM13 antibody (N-Term)





#### Overview

Overview	
Quantity:	100 μL
Target:	PRDM13
Binding Specificity:	N-Term
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRDM13 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	PRDM13 antibody was raised in rabbit using the N terminal of PRDM13 as the immunogen
Cross-Reactivity:	Dog (Canine)
Purification:	Purified
Target Details	
Target:	PRDM13
Alternative Name:	PRDM13 (PRDM13 Products)
Background:	PRDM13 may be involved in transcriptional regulation. Synonyms: Polyclonal PRDM13 antibody, Anti-PRDM13 antibody, PR domain containing 13 antibody, MU-MB-20.220 antibody, PFM10 antibody.


# **Application Details**

Application Notes:	WB: 0.2-1 $\mu$ g/mL Optimal conditions should be determined by the investigator.
Comment:	PRDM13 Blocking Peptide, catalog no. 33R-3733, is also available for use as a blocking control in assays to test for specificity of this PRDM13 antibody
Restrictions:	For Research Use only
Llandling	

#### Handling

Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 $\mu$ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## **Images**



### **Western Blotting**

**Image 1.** PRDM13 antibody used at 0.2-1 ug/ml to detect target protein.