

Datasheet for ABIN927898  
**anti-ZNF548 antibody (C-Term)**



[Go to Product page](#)

1 Image

## Overview

|                      |                                       |
|----------------------|---------------------------------------|
| Quantity:            | 100 µL                                |
| Target:              | ZNF548                                |
| Binding Specificity: | C-Term                                |
| Reactivity:          | Human                                 |
| Host:                | Rabbit                                |
| Clonality:           | Polyclonal                            |
| Conjugate:           | This ZNF548 antibody is un-conjugated |
| Application:         | Western Blotting (WB)                 |

## Product Details

|               |  |
|---------------|--|
| Immunogen:    | ZNF548 antibody was raised in rabbit using the C terminal of ZNF548 as the immunogen |
| Purification: | Purified   |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | ZNF548  |
| Alternative Name: | ZNF548 ( <a href="#">ZNF548 Products</a> )  |
| Background:       | ZNF548 belongs to the krueppel C2H2-type zinc-finger protein family. It contains 11 C2H2-type zinc fingers and 1 KRAB domain. ZNF548 may be involved in transcriptional regulation.<br>Synonyms: Polyclonal ZNF548 antibody, Anti-ZNF548 antibody, zinc finger protein 548 antibody, FLJ32932 antibody. |


## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | WB: 0.2-1 µg/mL<br>Optimal conditions should be determined by the investigator.  |
| Comment:           | ZNF548 Blocking Peptide, catalog no. 33R-2936, is also available for use as a blocking control in assays to test for specificity of this ZNF548 antibody |
| Restrictions:      | For Research Use only  |

## Handling

|                  |  |
|------------------|--|
| Format:          | Lyophilized  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles.   |
| Storage:         | 4 °C/-20 °C  |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.                                    |

## Images



### Western Blotting

**Image 1.** ZNF548 antibody used at 0.2-1 ug/ml to detect target protein.