

## Datasheet for ABIN927915 **anti-ZBTB12 antibody (N-Term)**



[Go to Product page](#)

### 1 Image

#### Overview

|                      |   |
|----------------------|---|
| Quantity:            | 100 µL                                      |
| Target:              | ZBTB12                                      |
| Binding Specificity: | N-Term                                      |
| Reactivity:          | Human, Mouse, Cow, Rat, Pig, Xenopus laevis |
| Host:                | Rabbit                                      |
| Clonality:           | Polyclonal                                  |
| Conjugate:           | This ZBTB12 antibody is un-conjugated       |
| Application:         | Western Blotting (WB)                       |

#### Product Details

|                   |  |
|-------------------|--|
| Immunogen:        | ZBTB12 antibody was raised in rabbit using the N terminal of ZBTB12 as the immunogen |
| Cross-Reactivity: | Mouse (Murine), Rat (Rattus), Pig (Porcine), Cow (Bovine), Frog                      |
| Purification:     | Purified   |

#### Target Details

|                   |   |
|-------------------|---|
| Target:           | ZBTB12  |
| Alternative Name: | ZBTB12 ( <a href="#">ZBTB12 Products</a> )  |
| Background:       | ZBTB12 may be involved in transcriptional regulation. Synonyms: Polyclonal ZBTB12 antibody, Anti-ZBTB12 antibody, zinc finger and BTB domain containing 12 antibody, Bat9 antibody, C6orf46 antibody, D6S59E antibody, G10 antibody, NG35 antibody. |


## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | WB: 0.2-1 µg/mL<br>Optimal conditions should be determined by the investigator.  |
| Comment:           | ZBTB12 Blocking Peptide, catalog no. 33R-5746, is also available for use as a blocking control in assays to test for specificity of this ZBTB12 antibody |
| Restrictions:      | For Research Use only  |

## Handling

|                  |  |
|------------------|--|
| Format:          | Lyophilized  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles.   |
| Storage:         | 4 °C/-20 °C  |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.                                    |

## Images



### Western Blotting

**Image 1.** Western Blot showing ZBTB12 antibody used at a concentration of 1-2 µg/ml to detect its target protein.