

Datasheet for ABIN928323
anti-TMEM132D antibody (Middle Region)



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|---|
| Quantity: | 100 µL |
| Target: | TMEM132D |
| Binding Specificity: | Middle Region |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TMEM132D antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-------------------|---|
| Immunogen: | Tmem132 d antibody was raised in rabbit using the middle region of Tmem132 as the immunogen |
| Cross-Reactivity: | Mouse (Murine) |
| Purification: | Purified |

Target Details

| | |
|-------------------|---|
| Target: | TMEM132D |
| Alternative Name: | Tmem132d (TMEM132D Products) |
| Background: | Tmem132d may serve as a cell-surface marker for oligodendrocyte differentiation. Synonyms: Polyclonal Tmem132d antibody, Anti-Tmem132d antibody, transmembrane protein 132D antibody, C630028F04Rik antibody. |


Application Details

| | |
|--------------------|---|
| Application Notes: | Optimal conditions should be determined by the investigator. |
| Comment: | Tmem132d Blocking Peptide, catalog no. 33R-10385, is also available for use as a blocking control in assays to test for specificity of this Tmem132d antibody |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Concentration: | Lot specific |
| Buffer: | Lyophilized powder. Add 50 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles. |
| Storage: | 4 °C/-20 °C |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C. |

Images



Western Blotting

Image 1. Western Blot showing Tmem132d antibody used at a concentration of 1.0 μ g/ml against Mouse Liver Lysate