

Datasheet for ABIN928324  
**anti-ZNF676 antibody (Middle Region)**



[Go to Product page](#)

1 Image

## Overview

|                      |                                       |
|----------------------|---------------------------------------|
| Quantity:            | 100 µL                                |
| Target:              | ZNF676                                |
| Binding Specificity: | Middle Region                         |
| Reactivity:          | Human                                 |
| Host:                | Rabbit                                |
| Clonality:           | Polyclonal                            |
| Conjugate:           | This ZNF676 antibody is un-conjugated |
| Application:         | Western Blotting (WB)                 |

## Product Details

|               |   |
|---------------|---|
| Immunogen:    | ZNF676 antibody was raised in rabbit using the middle region of ZNF676 as the immunogen |
| Purification: | Purified  |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | ZNF676  |
| Alternative Name: | ZNF676 ( <a href="#">ZNF676 Products</a> )  |
| Background:       | ZNF676 may be involved in transcriptional regulation. Synonyms: Polyclonal ZNF676 antibody, Anti-ZNF676 antibody, zinc finger protein 676 antibody. |

## Application Details

---

|                    |  |
|--------------------|--|
| Application Notes: | WB: 0.2-1 µg/mL<br>Optimal conditions should be determined by the investigator.  |
| Comment:           | ZNF676 Blocking Peptide, catalog no. 33R-4600, is also available for use as a blocking control in assays to test for specificity of this ZNF676 antibody |
| Restrictions:      | For Research Use only  |


## Handling

---

|                  |  |
|------------------|--|
| Format:          | Lyophilized  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles.   |
| Storage:         | 4 °C/-20 °C  |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.                                    |

## Images

---



### Western Blotting

**Image 1.** ZNF676 antibody used at 0.2-1 ug/ml to detect target protein.