

Datasheet for ABIN928387

anti-ZNF460 antibody (N-Term)





	ve	rv	ie	W
\circ	v C	· I V	10	V V

Quantity:	100 μL
Target:	ZNF460
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF460 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	ZNF460 antibody was raised in rabbit using the N terminal of ZNF460 as the immunogen
Purification:	Purified
Target Details	
Target:	ZNF460
Alternative Name:	ZNF460 (ZNF460 Products)
Background:	ZNF460 belongs to the krueppel C2H2-type zinc-finger protein family. It contains 11 C2H2-type
	zinc fingers and 1 KRAB domain. ZNF460 may be involved in transcriptional regulation. Zinc
	finger proteins, such as ZNF272, interact with nucleic acids and have diverse functions. The
	zinc finger domain is a conserved amino acid sequence motif containing 2 specifically
	positioned cysteines and 2 histidines that are involved in coordinating zinc. Kruppel-related

proteins form 1 family of zinc finger proteins. Synonyms: Polyclonal ZNF460 antibody, Anti-ZNF460 antibody, zinc finger protein 460 antibody, HZF8 antibody, ZNF272 antibody.


Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	ZNF460 Blocking Peptide, catalog no. 33R-1382, is also available for use as a blocking control in assays to test for specificity of this ZNF460 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Concentration:	Lot specific	
Buffer:	Lyophilized powder. Add 50 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.	
Handling Advice:	Avoid repeated freeze/thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.	

Images



Western Blotting

Image 1. ZNF460 antibody used at 0.2-1 ug/ml to detect target protein.