

Datasheet for ABIN928390

anti-CAND2 antibody (N-Term)





Go to Product page

/
١

Quantity:	100 μL
Target:	CAND2
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Zebrafish (Danio rerio), Drosophila melanogaster, Xenopus
	laevis, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CAND2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	CAND2 antibody was raised in rabbit using the N terminal of CAND2 as the immunogen
Cross-Reactivity:	Mouse (Murine), Rat (Rattus), Cow (Bovine), Dog (Canine), Frog, Chicken, Zebrafish
	(Brachydanio rerio), Fruit Fly (Drosophila melanogaster)
Purification:	Purified
Target Details	
Target:	CAND2
Alternative Name:	CAND2 (CAND2 Products)
Background:	CAND2 may play a role in the assembly of ubiquitin ligase complexes and modulate the
	ubiquitination of target proteins. And it may be also a transcription regulator. Synonyms:

Polyclonal CAND2 antibody, Anti-CAND2 antibody, cullin-associated and neddylation-dissociated 2, putative antibody, KIAA0667 antibody, TIP120B antibody, Tp120b antibody.


Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	CAND2 Blocking Peptide, catalog no. 33R-6518, is also available for use as a blocking control in assays to test for specificity of this CAND2 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 μL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

Images



Western Blotting

Image 1. CAND2 antibody used at 0.2-1 ug/ml to detect target protein.