

Datasheet for ABIN928432  
**anti-PDCD2L antibody (N-Term)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µL
Target:	PDCD2L
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDCD2L antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	PDCD2 L antibody was raised in rabbit using the N terminal of PDCD2 as the immunogen
Purification:	Purified

## Target Details

Target:	PDCD2L
Alternative Name:	PDCD2L ( <a href="#">PDCD2L Products</a> )
Background:	Over expression of PDCD2L attenuates TNF-alpha release in Daudi cells. PDCD2L over-expression restrained proliferation of HEK293T cells. DNA/flow cytometry analysis showed that the over-expression of PDCD2L severely delays cell cycle progression at S phase. These all suggest that PDCD2L might play a role in apoptosis. Synonyms: Polyclonal PDCD2L antibody, Anti-PDCD2L antibody, programmed cell death 2-like antibody, MGC13096 antibody.


## Application Details

Application Notes:	WB: 0.2-1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	PDCD2L Blocking Peptide, catalog no. 33R-2837, is also available for use as a blocking control in assays to test for specificity of this PDCD2L antibody
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Concentration:	Lot specific
Buffer:	Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.
Handling Advice:	Avoid repeated freeze/thaw cycles.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## Images



### Western Blotting

**Image 1.** PDCD2L antibody used at 0.2-1 ug/ml to detect target protein.