

Datasheet for ABIN928451  
**anti-ZNF565 antibody (Middle Region)**



[Go to Product page](#)

1 Image

## Overview

|                      |  |
|----------------------|--|
| Quantity:            | 100 µL   |
| Target:              | ZNF565   |
| Binding Specificity: | Middle Region  |
| Reactivity:          | Human, Cow, Pig, Dog, Mouse, Rat, Chicken, Zebrafish (Danio rerio) |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This ZNF565 antibody is un-conjugated                              |
| Application:         | Western Blotting (WB)  |

## Product Details

|                   |   |
|-------------------|---|
| Immunogen:        | ZNF565 antibody was raised in rabbit using the middle region of ZNF565 as the immunogen                         |
| Cross-Reactivity: | Mouse (Murine), Rat (Rattus), Cow (Bovine), Pig (Porcine), Dog (Canine), Zebrafish (Brachydanio rerio), Chicken |
| Purification:     | Purified  |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | ZNF565   |
| Alternative Name: | ZNF565 ( <a href="#">ZNF565 Products</a> )   |
| Background:       | ZNF565 may be involved in transcriptional regulation. Synonyms: Polyclonal ZNF565 antibody, Anti-ZNF565 antibody, zinc finger protein 565 antibody, FLJ36991 antibody. |

## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | WB: 0.2-1 µg/mL<br>Optimal conditions should be determined by the investigator.  |
| Comment:           | ZNF565 Blocking Peptide, catalog no. 33R-9819, is also available for use as a blocking control in assays to test for specificity of this ZNF565 antibody |
| Restrictions:      | For Research Use only  |

## Handling

|                  |  |
|------------------|--|
| Format:          | Lyophilized  |
| Concentration:   | Lot specific   |
| Buffer:          | Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles.   |
| Storage:         | 4 °C/-20 °C  |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.                                    |

## Images



### Western Blotting

**Image 1.** ZNF565 antibody used at 0.2-1 ug/ml to detect target protein.