

Datasheet for ABIN929050

anti-ZNF442 antibody (Middle Region)





Go to Product page

	ve	rv	ie	W
\circ	v C	· I V	10	V V

Quantity:	100 μL
Target:	ZNF442
Binding Specificity:	Middle Region
Reactivity:	Human, Cow, Dog, Mouse, Rat, Drosophila melanogaster, Xenopus laevis, Zebrafish (Danio
	rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF442 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	ZNF442 antibody was raised in rabbit using the middle region of ZNF442 as the immunogen
Cross-Reactivity:	Mouse (Murine), Rat (Rattus), Zebrafish (Brachydanio rerio), Cow (Bovine), Dog (Canine), Frog,
	Fruit Fly (Drosophila melanogaster)
Purification:	Purified
Target Details	
Target Details	
Target:	ZNF442
Alternative Name:	ZNF442 (ZNF442 Products)
Background:	ZNF442 Belongs to the krueppel C2H2-type zinc-finger protein family. It contains 16 C2H2-type
	zinc fingers and 1 KRAB domain. ZNF442 may be involved in transcriptional regulation.

Synonyms: Polyclonal ZNF442 antibody, Anti-ZNF442 antibody, zinc finger protein 442 antibody, FLJ14356 antibody.

Application Details

Application Notes:	WB: 0.2-1 μ g/mL Optimal conditions should be determined by the investigator.
Comment:	ZNF442 Blocking Peptide, catalog no. 33R-10180, is also available for use as a blocking control in assays to test for specificity of this ZNF442 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Concentration:	Lot specific	
Buffer:	Lyophilized powder. Add 50 μ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.	
Handling Advice:	Avoid repeated freeze/thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 4 °C, following reconstitution, aliquot and store at -20 °C.	

Images



Western Blotting

Image 1. ZNF442 antibody used at 0.2-1 ug/ml to detect target protein.