

Datasheet for ABIN929203  
**anti-USP9X antibody (C-Term)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	100 µL
Target:	USP9X
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP9X antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	USP9 X antibody was raised in rabbit using the C terminal of USP9 as the immunogen
Purification:	Purified

## Target Details

Target:	USP9X
Alternative Name:	USP9X ( <a href="#">USP9X Products</a> )
Background:	<p>This gene is a member of the peptidase C19 family and encodes a protein that is similar to ubiquitin-specific proteases. Though this gene is located on the X chromosome, it escapes X-inactivation. Mutations in this gene have been associated with Turner syndrome. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.</p> <p>Synonyms: Polyclonal USP9X antibody, Anti-USP9X antibody, ubiquitin specific peptidase 9, X-</p>

## Target Details

linked antibody, DFFRX antibody, FAF antibody, FAM antibody.

## Application Details

Application Notes: WB: 0.2-1 µg/mL  
Optimal conditions should be determined by the investigator.

Restrictions: For Research Use only

## Handling

Format: Lyophilized

Concentration: Lot specific

Buffer: Lyophilized powder. Add 50 µL of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer.

Handling Advice: Avoid repeated freeze/thaw cycles.


Storage: 4 °C/-20 °C


Storage Comment: Store at 4 °C, following reconstitution, aliquot and store at -20 °C.

## Images

### Immunofluorescence

**Image 1.** USP9X antibody used at a dilution of 1:50 to detect 3T3 cells.





### Western Blotting

**Image 2.** USP9X antibody used at 0.2-1 ug/ml to detect target protein.