

Datasheet for ABIN929296  
**anti-STARD8 antibody (N-Term)**



[Go to Product page](#)

1 Image

## Overview

|                      |                                       |
|----------------------|---------------------------------------|
| Quantity:            | 100 µL                                |
| Target:              | STARD8                                |
| Binding Specificity: | N-Term                                |
| Reactivity:          | Human                                 |
| Host:                | Rabbit                                |
| Clonality:           | Polyclonal                            |
| Conjugate:           | This STARD8 antibody is un-conjugated |
| Application:         | Western Blotting (WB)                 |

## Product Details

|               |  |
|---------------|--|
| Immunogen:    | STARD8 antibody was raised in rabbit using the N terminal of STARD8 as the immunogen |
| Purification: | Purified   |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | STARD8  |
| Alternative Name: | STARD8 ( <a href="#">STARD8 Products</a> )  |
| Background:       | This gene encodes a member of a subfamily of Rho GTPase activating proteins that contain a steroidogenic acute regulatory protein related lipid transfer domain. The encoded protein localizes to focal adhesions and may be involved in regulating cell morphology. This protein may also function as a tumor suppressor. Synonyms: Polyclonal STARD8 antibody, Anti-STARD8 antibody, StAR-related lipid transfer, START domain containing 8 antibody, |

## Target Details

DKFZp686H1668 antibody, DLC3 antibody, KIAA0189 antibody, STARTGAP3 antibody.


## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | Optimal conditions should be determined by the investigator.   |
| Comment:           | STARD8 Blocking Peptide, catalog no. 33R-4490, is also available for use as a blocking control in assays to test for specificity of this STARD8 antibody |
| Restrictions:      | For Research Use only  |

## Handling

|                  |   |
|------------------|---|
| Format:          | Lyophilized   |
| Concentration:   | Lot specific  |
| Buffer:          | Lyophilized powder. Add 50 $\mu$ L of distilled water. Final antibody concentration is 1 mg/mL in PBS buffer. |
| Handling Advice: | Avoid repeated freeze/thaw cycles.  |
| Storage:         | 4 °C/-20 °C   |
| Storage Comment: | Store at 4 °C, following reconstitution, aliquot and store at -20 °C.   |

## Images



### Western Blotting

**Image 1.** Western Blot showing STARD8 antibody used at a concentration of 1.0  $\mu$ g/ml against 293T Cell Lysate