

Datasheet for ABIN931161  
**anti-FTSJ2 antibody**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µg
Target:	FTSJ2
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FTSJ2 antibody is un-conjugated
Application:	Western Blotting (WB), Dot Blot (DB)

## Product Details

Immunogen:	FTSJ2 antibody was raised in mouse using recombinant Human Ftsj Homolog 2 (E. Coli) (Ftsj2)
Clone:	2372C6a
Isotype:	IgG1
Cross-Reactivity:	Human
Cross-Reactivity (Details):	Other species not studied.
Purification:	Protein G affinity chromatography

## Target Details

Target:	FTSJ2
Alternative Name:	FTSJ2 ( <a href="#">FTSJ2 Products</a> )
Background:	The protein encoded by this gene is a member of the S-adenosylmethionine-binding protein

## Target Details

---

family. It is a nucleolar protein and it may be involved in the processing and modification of rRNA. This gene has been suggested to be involved in cell cycle control and DNA repair.

Synonyms: Monoclonal FTSJ2 antibody, Anti-FTSJ2 antibody, Cell division protein FtsJ antibody, FJH1 antibody, DKFZp686J14194 antibody.

## Application Details

---

Application Notes: WB: 0.2-2 µg/mL  
Optimal conditions should be determined by the investigator.

Restrictions: For Research Use only

## Handling

---

Concentration: Lot specific

Buffer: FTSJ2 antibody in PBS (3.0 mM KCl, 1.5 mM KH<sub>2</sub> PO<sub>4</sub>, 140 mM NaCl, 8.0 mM Na<sub>2</sub> HPO<sub>4</sub> (pH 7.4)) containing 1 % bovine serum albumin (BSA) and 0.05 % sodium azide (NaN<sub>3</sub>).


Preservative: Sodium azide

Precaution of Use: This product contains Sodium Azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling Advice: Avoid repeated freeze/thaw cycles.  
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for up to one year. We recommend long term storage at -20 °C.



### Western Blotting

Image 1.