



[Go to Product page](#)

Datasheet for ABIN940569

## anti-TSPY-Like 2 antibody (AA 2-13)

### Overview

Quantity:	100 µg
Target:	TSPY-Like 2 (TSPYL2)
Binding Specificity:	AA 2-13
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This TSPY-Like 2 antibody is un-conjugated
Application:	ELISA

### Product Details

Purpose:	TSPYL2 (aa2-13)
Immunogen:	Peptide with sequence DRPDEGPPAKTR-C, from the N Terminus of the protein sequence according to NP_071400.1.
Sequence:	DRPDEGPPAK TR
Isotype:	IgG
Cross-Reactivity:	Cow, Human, Mouse, Pig, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Recent

## Target Details

Target:	TSPY-Like 2 (TSPYL2)
Alternative Name:	TSPYL2 ( <a href="#">TSPYL2 Products</a> )
Background:	TSPYL2, TSPY-like 2, CDA1, CINAP, CTCL, DENTT, HRIHFB2216, NP79, SE204, TSPX, CASK-interacting nucleosome assembly protein, CTCL tumor antigen se20-4, CTCL-associated antigen se20-4, TSPY-like protein 2, cell division autoantigen 1, cutaneous T-cell lymph
Gene ID:	64061
NCBI Accession:	<a href="#">NP_071400</a>
Pathways:	<a href="#">ER-Nucleus Signaling</a>

## Application Details

Application Notes:	Western Blot: Preliminary experiments in Human, Mouse and Rat Testis lysates gave no specific signal but low background (at antibody concentration up to 1 µg/mL). We would appreciate any feedback from people in the field - have any results been reported w Peptide ELISA: antibody detection limit dilution 1:4000.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.