

Datasheet for ABIN947931
anti-CD42b antibody (AA 1-626)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µg
Target:	CD42b (GP1BA)
Binding Specificity:	AA 1-626
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This CD42b antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human GP1BA protein.
Immunogen:	GP1BA (AAH27955.1, 1 a.a. ~ 626 a.a) full-length human protein.
Sequence:	MPLLLLLLLL PSPLHPHPIC EVSKVASHLE VNCDKRNLTALPPDLPKDTT ILHLSENLLY TFSLATLMPY TRLTQLNLDR CELTKLQVDG TLPVLGTLDL SHNQLQSLPL LGQTLPALTV LDVSFNRLTS LPLGALRGLG ELQELYLKGN ELKTLPPGLL TPTPKLEKLS LANNNLTELP AGLLNGLENL DTLQLQENSL YTIKGFFGS HLLPFAFLHG NPWLCNCEIL YFRRWLQDNA ENVYVWKQGV DVKAMTSNVA SVQCDNSDKF PVYKYPGKGC PTLGDEGDTD LYDYYPEEDT EGDKVRATRT VVKFPTKAHT TPWGLFYWS TASLDSQMPS SLHPTQESTK EQTTFPPRWT PNFTLHMESI TFSKTPKSTT EPTSPPTTSE PVPEPAPNMT TLEPTSPPTT PEPTSEPAPS PTTPEPTPIP TIATSPITLV SATSLITPKS TFLTTTKPVS LLESTKKTIP ELDQPPKLRG VLQGHLESSR NDPFLHPDFC CLLPLGFYVL GLFWLLFASV VLILLLSWVG HVKPPALDSG QGAALTATQ TTHLELQRGR QVTVPAWLL FLRGS�PTFR SSLFLWVRPN GRLGPLVAGR

Product Details

	RPSALSQGRG QDLLSTVSIR YSGHSL
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details


Target:	CD42b (GP1BA)
Alternative Name:	GP1BA (GP1BA Products)
Background:	Full Gene Name: glycoprotein Ib (platelet), alpha polypeptide Synonyms: BSS,CD42B,CD42b-alpha,GP1B,MGC34595
Gene ID:	2811

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of GP1BA expression in transfected 293T cell line by GP1BA MaxPab polyclonal antibody.

Lane 1: GP1BA transfected lysate(69.00 KDa).

Lane 2: Non-transfected lysate.