
antibodies -online.com







anti-C14orf126 antibody (C-Term)



Image



Overview	
Quantity:	0.4 mL
Target:	C14orf126
Binding Specificity:	AA 143-172, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C14orf126 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	KLH conjugated synthetic peptide between 143-172 amino acids from the C-terminal region of

Immunogen:	KLH conjugated synthetic peptide between 143-172 amino acids from the C-terminal region of human C14orf126
Isotype:	Ig Fraction
Specificity:	This antibody reacts to C14orf126.
Cross-Reactivity (Details):	Species reactivity (tested):Human.
Purification:	Affinity chromatography on Protein A

Target Details

Target:	C14orf126
Alternative Name:	C14orf126 (C14orf126 Products)

Target Details

Background:	Hydrolyzes D-tyrosyl-tRNA(Tyr) into D-tyrosine and free tRNA(Tyr). Could be a defense mechanism against a harmful effect of D-tyrosine (Potential)Synonyms: Probable D-tyrosyl-tRNA(Tyr) deacylase 2
Gene ID:	112487
NCBI Accession:	NP_542395

Application Details

Storage Comment:

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS containing 0.09 % (W/V) sodium azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C

Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

Western Blotting

Image 1. C14orf126 Antibody (C-term) western blot analysis in mouse lung tissue lysates (35µg/lane). This demonstrates the C14orf126 antibody detected the C14orf126 protein (arrow).