antibodies - online.com







anti-CLEC4F antibody (C-Term)

Images



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	0.4 mL
Target:	CLEC4F
Binding Specificity:	AA 318-347, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLEC4F antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme
	Immunoassay (EIA)
Product Details	
Immunogen:	KLH conjugated synthetic peptide between 318-347 amino acids from the C-terminal region of
	human CLEC4F
Isotype:	Ig Fraction
Specificity:	This antibody reacts to CLEC4F.
Cross-Reactivity (Details):	Species reactivity (tested):Human.
Purification:	Affinity chromatography on Protein A
Target Details	
Target:	CLEC4F

Target Details


Alternative Name:	CLEC4F (CLEC4F Products)	
Background:	Receptor with an affinity for galactose and fucose. Could be involved in endocytosis (By similarity). Synonyms: C-type lectin domain family 4 member F, CLECSF13	
Molecular Weight:	65519 Da	
Gene ID:	165530	
NCBI Accession:	NP_775806	

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



CEM

95

36

28

Immunohistochemistry (Paraffin-embedded Sections)

Image 1. CLEC4F Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CLEC4F Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. CLEC4F Antibody (C-term) western blot analysis in CEM cell line lysates (35μg/lane). This demonstrates the CLEC4F antibody detected the CLEC4F protein (arrow).