



[Go to Product page](#)

Datasheet for ABIN951949

## anti-DNAJC27 antibody (N-Term)

### 2 Images

#### Overview

Quantity:	0.4 mL
Target:	DNAJC27
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAJC27 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

#### Product Details

Immunogen:	KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of Human DNAJC2
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human DNAJC27(N-term).
Purification:	Affinity Chromatography on Protein A

#### Target Details

Target:	DNAJC27
Alternative Name:	DNAJC27 / RBJ ( <a href="#">DNAJC27 Products</a> )

## Target Details

---

Background:	Belongs to the small GTPase superfamily. Rab family. 3 isoforms.Synonyms: DnaJ homolog subfamily C member 27, RABJS, Rab and DnaJ domain-containing protein
Molecular Weight:	30855 Da
Gene ID:	51277
NCBI Accession:	<a href="#">NP_001185488</a>

## Application Details


---

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling


---

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS with 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Formalin fixed and paraffin embedded human kidney tissue reacted with DNAJC27 / RBJ Antibody (N-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.



### Western Blotting

**Image 2.** Western blot analysis of DNAJC27 / RBJ Antibody (N-term) in human placenta tissue lysates (35ug/lane). This demonstrates the DNAJC27 antibody detected the DNAJC27 protein (arrow).