

Datasheet for ABIN951992

**anti-DTX3L antibody (Middle Region)**[Go to Product page](#)**1** Image

## Overview

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Quantity:            | 0.4 mL                                          |
| Target:              | DTX3L                                           |
| Binding Specificity: | AA 452-482, Middle Region                       |
| Reactivity:          | Human                                           |
| Host:                | Rabbit                                          |
| Clonality:           | Polyclonal                                      |
| Conjugate:           | This DTX3L antibody is un-conjugated            |
| Application:         | Western Blotting (WB), Enzyme Immunoassay (EIA) |

## Product Details

|               |                                                                                                     |
|---------------|-----------------------------------------------------------------------------------------------------|
| Immunogen:    | KLH conjugated synthetic peptide between 452-482 amino acids from the Central region of human DTX3L |
| Isotype:      | Ig Fraction                                                                                         |
| Specificity:  | This antibody recognizes Human DTX3L (Center).                                                      |
| Purification: | Affinity Chromatography on Protein A                                                                |

## Target Details

|                   |                                                                            |
|-------------------|----------------------------------------------------------------------------|
| Target:           | DTX3L                                                                      |
| Alternative Name: | DTX3L / BBAP ( <a href="#">DTX3L Products</a> )                            |
| Background:       | DTX3L functions as an E3 ubiquitin ligase (Takeyama et al., 2003 [PubMed]) |

## Target Details


|                   |                                                                                              |
|-------------------|----------------------------------------------------------------------------------------------|
|                   | 12670957]).Synonyms: B-lymphoma- and BAL-associated protein, Protein deltex-3-like, Rhysin-2 |
| Molecular Weight: | 83554 Da                                                                                     |
| Gene ID:          | 151636                                                                                       |
| NCBI Accession:   | <a href="#">NP_612144</a>                                                                    |
| Pathways:         | <a href="#">Notch Signaling</a>                                                              |

## Application Details

|                    |                                                                    |
|--------------------|--------------------------------------------------------------------|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Restrictions:      | For Research Use only                                              |

## Handling

|                    |                                                                                                                        |
|--------------------|------------------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                                 |
| Concentration:     | 0.25 mg/mL                                                                                                             |
| Buffer:            | PBS containing 0.09 % (W/V) Sodium Azide as preservative                                                               |
| Preservative:      | Sodium azide                                                                                                           |
| Precaution of Use: | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice:   | Avoid repeated freezing and thawing.                                                                                   |
| Storage:           | 4 °C/-20 °C                                                                                                            |
| Storage Comment:   | Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.                                         |



Western Blotting

**Image 1.** Western blot analysis of DTX3L / BBAP Antibody in SK-BR-3 cell line lysates (35ug/lane). This demonstrates the DTX3L antibody detected the DTX3L protein (arrow).