

Datasheet for ABIN952259

anti-FAM96A antibody (C-Term)

4 Images

[Go to Product page](#)

Overview

Quantity:	0.4 mL
Target:	FAM96A
Binding Specificity:	AA 116-146, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM96A antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 116-146 amino acids from the C-terminal region of human FAM96A
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human and Mouse FAM96A (C-term).
Purification:	Affinity Chromatography on Protein A

Target Details

Target:	FAM96A
Alternative Name:	FAM96A (FAM96A Products)

Target Details

Background: Synonyms: UPF0195 protein FAM96A

Molecular Weight: 18355 Da

Gene ID: 84191

NCBI Accession: [NP_001014812](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 0.25 mg/mL

Buffer: PBS containing 0.09 % (W/V) Sodium Azide as preservative

Preservative: Sodium azide


Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C/-20 °C


Storage Comment: Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

Images




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin fixed and paraffin embedded human kidney tissue reacted with FAM96A Antibody (C-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.



Western Blotting

Image 2. Western blot analysis of FAM96A Antibody (C-term) in mouse NIH-3T3 cell line lysates (35ug/lane). This demonstrates the FA96A antibody detected the FA96A protein (arrow).



Western Blotting

Image 3. Western blot analysis of FAM96A Antibody (C-term) in WiDr cell line lysates (35ug/lane). This demonstrates the FA96A antibody detected the FA96A protein (arrow).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN952259.