

Datasheet for ABIN952883

anti-IL17RD antibody (N-Term)[Go to Product page](#)**1** Image

Overview

Quantity:	0.4 mL
Target:	IL17RD
Binding Specificity:	AA 224-253, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17RD antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 224~253 amino acids from the N-terminal region of human IL17RD
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human IL17RD (N-term).
Purification:	Protein A column, followed by peptide affinity purification

Target Details

Target:	IL17RD
Alternative Name:	IL17RD (IL17RD Products)
Background:	Fibroblast growth factors (FGFs, see MIM 603726) are secreted proteins involved in cellular

Target Details


	proliferation, migration, differentiation, and survival. FGF activity is negatively regulated by members of the 'sprouty' family (e.g., SPRY1, MIM 602465). The SEF protein is a modulator of FGF signaling.Synonyms: IL-17 receptor D, IL-17RD, IL17RLM, IL17Rhom, Interleukin-17 receptor D, Interleukin-17 receptor-like protein, SEF, Sef homolog
Molecular Weight:	82411 Da
Gene ID:	54756
NCBI Accession:	NP_060033
Pathways:	Toll-Like Receptors Cascades

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS containing 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Western Blotting

Image 1. Western blot analysis of IL17RD Antibody (N-term) Cat.-No AP52189PU-N in MDA-MB231 cell line lysates (35ug/lane). IL17RD (arrow) was detected using the purified Pab.