



[Go to Product page](#)

Datasheet for ABIN953160

## anti-LENG9 antibody (N-Term)

### 2 Images

#### Overview

Quantity:	0.4 mL
Target:	LENG9
Binding Specificity:	AA 112-141, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LENG9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

#### Product Details

Immunogen:	KLH conjugated synthetic peptide between 112-141 amino acids from the N-terminal region of human LENG9
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human LENG9 (N-term).
Purification:	Protein A column, followed by peptide affinity purification

#### Target Details

Target:	LENG9
Alternative Name:	LENG9 ( <a href="#">LENG9 Products</a> )

## Target Details

Background:	Synonyms: Leukocyte receptor cluster member 9
Molecular Weight:	53167 Da
Gene ID:	94059
NCBI Accession:	<a href="#">NP_945339</a>


## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS containing 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

## Images



### Western Blotting

**Image 1.** Western blot analysis of LENG9 Antibody (N-term) in Y79 cell line lysates (35ug/lane). This demonstrates the LENG9 antibody detected the LENG9 protein (arrow).



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 2.** Immunohistochemistry analysis in formalin fixed and paraffin embedded human cervical tissue reacted with LENG9 Antibody (N-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.