



Datasheet for ABIN953603  
**anti-NARFL antibody (Middle Region)**



[Go to Product page](#)

2 Images

Overview

Quantity:	0.4 mL
Target:	NARFL
Binding Specificity:	AA 247-277, Middle Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NARFL antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 247~277 amino acids from the Central region of human NARFL
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human NARFL (center).
Purification:	Protein A column, followed by peptide affinity purification

Target Details

Target:	NARFL
Alternative Name:	NARFL ( <a href="#">NARFL Products</a> )
Background:	Synonyms: Nuclear prelamina A recognition factor-like protein, PRN

## Target Details

Molecular Weight:	53020 Da
Gene ID:	64428
NCBI Accession:	<a href="#">NP_071938</a>


## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS containing 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

## Images



### Western Blotting

**Image 1.** Western blot analysis of NARFL Antibody (Center) Cat.-No AP52809PU-N in MDA-MB435 cell line lysates (35ug/lane). NARFL (arrow) was detected using the purified Pab.



### Flow Cytometry

**Image 2.** Flow cytometric analysis of MDA-MB435 cells using NARFL Antibody (Center) Cat.-No AP52809PU-N (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.