antibodies -online.com





anti-NIPSNAP3A antibody (Middle Region)

2 Images

Overview



Go to	Prod	uct	nage

Quantity:	0.4 mL
Target:	NIPSNAP3A
Binding Specificity:	AA 81-109, Middle Region
Reactivity:	Mouse, Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NIPSNAP3A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 81-109 amino acids from the Central region of human NPS3A
Isotype:	lg Fraction
Specificity:	This antibody reacts to NPS3A.
Cross-Reactivity (Details):	Species reactivity (tested):Mouse.
Purification:	Affinity chromatography on Protein A

Target Details

Target: NIPSNAP3A			
	Target:	NIPSNAP3A	

Target Details


Alternative Name:	NipSnap3A / NipSnap4 (NIPSNAP3A Products)
Background:	NIPSNAP3A belongs to a family of proteins with putative roles in vesicular transport (Buechler et al., 2004 [PubMed 15177564]). Synonyms: Protein NipSnap homolog 3A
Molecular Weight:	28467 Da
Gene ID:	25934
NCBI Accession:	NP_056284

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % (W/V) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



m.liver 95 72 55• 36 28 4

Immunohistochemistry (Paraffin-embedded Sections)

Image 1. NPS3A Antibody (Center) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NPS3A Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. NPS3A Antibody (Center) western blot analysis in mouse liver tissue lysates (35µg/lane). This demonstrates the NPS3A antibody detected the NPS3A protein (arrow).