antibodies - online.com







anti-NIPSNAP3B antibody (C-Term)

Images



\sim					
()	VE	۲۱	/1	\triangle	Λ

OVEIVIEW		
Quantity:	0.4 mL	
Target:	NIPSNAP3B	
Binding Specificity:	AA 196-226, C-Term	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NIPSNAP3B antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	KLH conjugated synthetic peptide between 196-226 amino acids from the C-terminal region of Human NIPSNAP3B. Genename: NIPSNAP3B	
Isotype:	lg Fraction	
Specificity:	This antibody recognizes Human and Mouse NIPSNAP3B (C-term).	
Purification:	Affinity Chromatography on Protein A	
Target Details		
Target:	NIPSNAP3B	
Alternative Name:	NipSnap3B (NIPSNAP3B Products)	

Target Details


Background:	NIPSNAP3B belongs to a family of proteins with putative roles in vesicular trafficking (Buechler et al., 2004 [PubMed 15177564]. Synonyms: Protein NipSnap homolog 3B
Molecular Weight:	28313 Da
Gene ID:	55335
NCBI Accession:	NP_060846

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin fixed, paraffin embedded human brain tissue stained NIPSNAP3B Antibody (C-term) Cat.-No AP52879PU-N with followed by peroxidase conjugation of the secondary antibody and DAB staining.

m.	liver
95 72	
55	
36	
28	-•
17	

Western Blotting

Image 2. Western blot analysis of NIPSNAP3B Antibody (Cterm) in Mouse liver tissue lysates (35ug/lane). This demonstrates the NIPSNAP3B antibody detected the NIPSNAP3B protein (arrow).