

Datasheet for ABIN953806

anti-ODF2L antibody (C-Term)

2 Images



Go to Product page

_				
()	ve.	rv/	101	Λ

0.101.1011		
Quantity:	0.4 mL	
Target:	ODF2L	
Binding Specificity:	AA 541-572, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ODF2L antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	KLH conjugated synthetic peptide between 541-572 amino acids from the C-terminal region of Human ODF2L	
Isotype:	lg Fraction	
Specificity:	This antibody recognizes Human ODF2L (C-term).	
Purification:	Protein A column, followed by peptide affinity purification	
Target Details		
Target:	ODF2L	
Alternative Name:	ODF2L (ODF2L Products)	

Target Details


Background:	ODF2L belongs to the ODF2 family. The specific function of this protein remains unknown. Synonyms: KIAA1229, Outer dense fiber protein 2-like	
Molecular Weight:	60kd	
Gene ID:	57489	
NCBI Accession:	NP_001007023	

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS containing 0.09 % (W/V) Sodium Azide as preservative
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue reacted with ODF2L Antibody (C-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.



Western Blotting

Image 2. Western blot analysis of ODF2L Antibody (C-term) in NCI-H292 cell line lysates (35ug/lane). This demonstrates the ODF2L antibody detected the ODF2L protein (arrow).