
antibodies -online.com





anti-OR4C13 antibody (N-Term)



Image



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	\square

OVEIVIEW		
Quantity:	0.4 mL	
Target:	OR4C13	
Binding Specificity:	AA 67-97, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This OR4C13 antibody is un-conjugated	
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	KLH conjugated synthetic peptide between 67-97 amino acids from the N-terminal region of	
	human Olfactory receptor 4C13 Genename: OR4C13	
Isotype:	Ig Fraction	
Specificity:	This antibody recognizes Human Olfactory receptor 4C13 (N-term).	
Purification:	Protein A column, followed by peptide affinity purification	
Target Details		
Target:	OR4C13	
Alternative Name:	Olfactory Receptor 4C13 (OR4C13 Products)	
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response	

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. Synonyms: OR4C13, Olfactory receptor OR11-260

Molecular Weight: 34582 Da

Gene ID: 283092

NCBI Accession: NP_001001955


Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format:	Liquid	
Concentration:	0.25 mg/mL	
Buffer:	PBS containing 0.09 % (W/V) Sodium Azide as preservative	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.	



Western Blotting

Image 1. Western blot analysis of OR4C13 Antibody (Nterm) in 293, Hela, Jurkat cell line lysates (35ug/lane). This demonstrates the OR4C13 antibody detected the OR4C13 protein (arrow).