

Datasheet for ABIN953881

anti-OR5D13 antibody (Middle Region)[Go to Product page](#)**1** Image

Overview

Quantity:	0.4 mL
Target:	OR5D13
Binding Specificity:	AA 171-199, Middle Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR5D13 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 171-199 amino acids from the Central region of human Olfactory receptor 5D13 Genename: OR5D13
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human Olfactory receptor 5D13 (Center).
Purification:	Protein A column, followed by peptide affinity purification

Target Details

Target:	OR5D13
Alternative Name:	Olfactory Receptor 5D13 (OR5D13 Products)
Background:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response

Target Details

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. Synonyms: OR5D13, Olfactory receptor OR11-142, Olfactory receptor OR11-148

Molecular Weight: 35447 Da

Gene ID: 390142

NCBI Accession: [NP_001001967](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 0.25 mg/mL

Buffer: PBS containing 0.09 % (W/V) Sodium Azide as preservative


Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Avoid repeated freezing and thawing.

Storage: 4 °C/-20 °C

Storage Comment: Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.



Western Blotting

Image 1. Western blot analysis of OR5D13 Antibody (Center) in SK-BR-3 cell line lysates (35ug/lane). This demonstrates the OR5D13 antibody detected the OR5D13 protein (arrow).