



Datasheet for ABIN954441  
**anti-Radil antibody (C-Term)**



[Go to Product page](#)

3 Images

Overview

Quantity:	0.4 mL
Target:	Radil
Binding Specificity:	AA 1051-1079, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Radil antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

Product Details

Immunogen:	KLH conjugated synthetic peptide between 1051-1079 amino acids from the C-terminal region of Human RADIL. Genename: RADIL
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human and Mouse RADIL (C-term)
Purification:	Affinity Chromatography on Protein A

Target Details

Target:	Radil
Alternative Name:	RADIL ( <a href="#">Radil Products</a> )

## Target Details

Background:	Synonyms: KIAA1849, Ras-associating and dilute domain-containing protein
Molecular Weight:	117425 Da
Gene ID:	55698
NCBI Accession:	<a href="#">NP_060529</a>


## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

## Images




### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Formalin fixed and paraffin embedded Human pancreas tissue stained with RADIL Antibody (C-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.



### Western Blotting

**Image 2.** Western blot analysis of RADIL Antibody (C-term) in Mouse cerebellum tissue lysates (15ug/lane). This demonstrates the RADIL antibody detected RADIL protein (arrow).



### Western Blotting

**Image 3.** Western blot analysis of RADIL Antibody (C-term) in SK-BR-3 cell line lysates (15ug/lane). This demonstrates the RADIL antibody detected RADIL protein (arrow).