.-online.com antibodies

Datasheet for ABIN954477 anti-RBM22 antibody (Middle Region)

2 Images



Overview

Quantity:	0.4 mL
Target:	RBM22
Binding Specificity:	AA 164-193, Middle Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM22 antibody is un-conjugated
Application:	Western Blotting (WB), Enzyme Immunoassay (EIA)

Product Details


Immunogen:	KLH conjugated synthetic peptide between 164-193 amino acids from the Central region of Human RBM22. Genename: RBM22
Isotype:	Ig Fraction
Specificity:	This antibody recognizes Human RBM22 (Center).
Purification:	Affinity Chromatography on Protein A


Target Details

Target:	RBM22
Alternative Name:	RBM22 (RBM22 Products)
Background:	This gene encodes an RNA binding protein. The encoded protein may play a role in cell division

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN954477 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

	and may be involved in pre-mRNA splicing. Related pseudogenes exist on chromosomes 6, 7, 9,
	13, 16, 18, and X.Synonyms: Pre-mRNA-splicing factor RBM22, RNA-binding motif protein 22,
	ZC3H16, Zinc finger CCCH domain-containing protein 16
Molecular Weight:	46896 Da
Gene ID:	55696
NCBI Accession:	NP_060517
Pathways:	Protein targeting to Nucleus
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.25 mg/mL
Buffer:	PBS, 0.09 % Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C





Western Blotting

Image 1. Western blot analysis of RBM22 (arrow) usingRBM22 Antibody .

293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the RBM22 gene.

Western Blotting

Image 2. Western blot analysis of RBM22 Antibody in Jurkat cell line lysates (35ug/lane). This demonstrates the RBM22 antibody detected the RBM22 protein (arrow).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN954477 | 09/12/2023 | Copyright antibodies-online. All rights reserved.